

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

DATE MAILED: 05/18/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/052,104	01/16/2002	Shih-Tsung Yang	04939P019	9853	
75	90 05/18/2004	05/18/2004		EXAMINER	
Samir A. Bhavsar, Esq.			SHINGLETON, MICHAEL B		
Baker Botts L. I	LP				
2001 Ross Avenue, Suite 600			ART UNIT	PAPER NUMBER	
Dallas, TX 75201-2980			2817		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/052,104	YANG ET AL.				
		Examiner	Art Unit				
		Michael B. Shingleton	2817				
Period for A SHOTHE I - Exter after - If the - If NO - Failu Any II	or Reply ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insigns of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reply repriod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing end patent term adjustment. See 37 CFR 1.704(b).	IS SET TO EXPIRE MON 36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	NTH(S) FROM mely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status	,	,					
1)🗹	1) Responsive to communication(s) filed on 2/5/64						
2a)⊠	This action is FINAL. 2b) This action is non-final.						
3)[Since this application is in condition for allowar	nce except for formal matters, pro	osecution as to the ments is				
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 U.G. 213.				
Disposit	ion of Claims						
5)[X] 6)[X] 7)[X]	Claim(s) 1-37 //s/are pending 4a) Of the above claim(s) is/are withdray Claim(s) 31-37 //s/are allo Claim(s) 1 3 4 6 16 18 19 21 //s/are Claim(s) 25, 7-15, 17, 20 20-30 //s/are Claim(s) are subject to restriction and/or	wn from consideration. owed. rejected. objected to.					
Applicat	ion Papers						
10)□	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine The specification is objected to be specification.	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).				
Priority	under 35 U.S.C. § 119						
12)□ a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat See the attached detailed Office action for a list	ts have been received. ts have been received in Applica prity documents have been receiv tu (PCT Rule 17.2(a)).	tion No ved in this National Stage				
2) Not 3) Info	nt(s) ice of References Cited (PTO-892) ice of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 ier No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:					

Art Unit: 2817

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1 is rejected under 35 U.S.C. 102(b) as being clearly anticipated by Zuta 5,182,528 (Zuta).

Zuta discloses a method having the steps of dividing a frequency range into a plurality of bands of interest (R1-R4, See Figure 3), measuring via element 40 a frequency of a voltage controlled oscillator (VCO) for a plurality of capacitance value/voltage level combinations to obtain a set of capacitance values and a corresponding set of frequency values for a set of voltage levels as is clearly illustrated in Figures 1, 2, and 3, selecting a capacitance value via item 64 such that a corresponding frequency range covers the frequency band of interest (Note the sloped voltage vs frequency curves for each frequency band of interest as shown in Figure 3.), the corresponding frequency range determined by an output voltage AV of a digital to analog converter 66 (See column 4, lines 41-47), and repeating operation of selecting a capacitance value via item 64 for each frequency band of interest.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 3, 4, and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zuta 5,182,528 (Zuta).

The same reasoning as applied in the above 35 USC 102 rejection of claims and the following:

Application/Control Number: 10/052,104

Art Unit: 2817

Zuta is silent on the exact operating frequency range of the device. The selection of the operating range or optimum range involves but routine skill in the art.

Thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to operate the VCO of Zuta in the 2200 MHz to 2600 MHz range because this is the selection of the optimum or workable range that involves but routine skill in the art.

Zuta shows four frequency bands of interest in Figure 3 thereof. Claims recite six and 16 bands of interest. The selection of the number of bands is merely the selection of the optimum or workable range that involves but routine skill in the art at the time the invention was made and accordingly is the mere selection of how "wide" to make the frequency range of interest. In other words in applications where a smaller bandwidth can be used then the frequency range of interest does not have to be a large and there can be more frequency bands.

Likewise it would have been obvious to one of ordinary skill in the art at the time the invention was made to select the number of bands to be six or 16 since this merely selects the optimum or workable range for the bandwidth of the individual "frequency range of interest" and accordingly, this selection of the optimum or workable range, i.e. making the most use of the total frequency range for a particular application, involves but routine skill in the art.

Claims 16, 18, 19, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zuta 5,182,528 (Zuta) in view of Feulner et al. 6,366,393 (Feulner).

The same reasoning as applied in the above 35 USC 102 rejection of claims and the following:

Zuta is silent on implementing the device as a machine-readable medium containing instructions which, when executed by a processor, cause the processor to perform a method, in which the method is defined by the actions of the actual device.

It is long held that implementing the device as a machine readable medium having all the method steps as defined by the device is an art recognized equivalent structure to the actual device itself (See the top of column 13 of Feulner).

Thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the device of Zuta as a machine readable medium containing instructions which, when executed by a processor, cause the processor to perform a method defined by the actual device because,

Application/Control Number: 10/052,104

Art Unit: 2817

such an implementation is an art recognized equivalent implementation of the actual device and method associated with the actual device as taught by Feulner.

Zuta is silent on the exact operating frequency range of the device. The selection of the operating range or optimum range involves but routine skill in the art.

Thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to operate the VCO of Zuta in the 2200 MHz to 2600 MHz range because this is the selection of the optimum or workable range that involves but routine skill in the art.

Zuta shows four frequency bands of interest in Figure 3 thereof. Claims recite six and 16 bands of interest. The selection of the number of bands is merely the selection of the optimum or workable range that involves but routine skill in the art at the time the invention was made and accordingly is the mere selection of how "wide" to make the frequency range of interest. In other words in applications where a smaller bandwidth can be used then the frequency range of interest does not have to be a large and there can be more frequency bands.

Likewise it would have been obvious to one of ordinary skill in the art at the time the invention was made to select the number of bands to be six or 16 since this merely selects the optimum or workable range for the bandwidth of the individual "frequency range of interest" and accordingly, this selection of the optimum or workable range, i.e. making the most use of the total frequency range for a particular application, involves but routine skill in the art.

Claims 2, 5, 7-15, 17, 20, 22-30 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 31-37 are allowed.

Applicant's arguments filed 2-5-2004 have been fully considered but they are not persuasive.

Applicant believes that "Zuta has nothing to do with the method performed in Claim 1" and that "the coarse tuning, fine tuning, nor the feedback operations of Zuta..teach, suggest, or disclose "b) measuring a frequency of a voltage-controlled oscillator (VCO) for a plurality of capacitance value/voltage level combinations to obtain a set of capacitance values and a corresponding set of frequency values for a set of voltage level" or "c) selecting a capacitance value such that a corresponding frequency range covers the frequency band of interest...". The examiner respectfully

Application/Control Number: 10/052,104

Art Unit: 2817

disagrees. As recited in the previous office action the frequency of the VCO is measured via element 40. This measurement is obtained for a plurality of capacitance value/voltage level combinations to obtain a set of capacitance values and a corresponding set of frequency values for a set of voltage levels. This is clearly illustrated in Figures 1-3. This is not obtained for just a single capacitance value/voltage level to obtain one capacitance value. Column 3, around line 43 of Zuta also clearly points to the fact of measuring over a plurality of capacitance value/voltage level combinations to obtain a set of capacitance and frequency values for a set of voltage levels. Note that a table of the oscillator's characteristics is obtained. This table is also updated to account for changing conditions. The required control signals include the voltage level AV and the capacitance values. From the measurement of the frequency the corrected table is obtained. It would make no sense to measure just one frequency for one capacitance value/voltage combination to obtain one capacitance value and frequency value for one voltage level for this would not make a table. A table is a plurality of values. This also would not be measuring the "oscillator's characteristics" as required by Zuta, but would just measure one characteristic. In particular note Figure 4 of Zuta that shows the oscillator's characteristics for a plurality of capacitance value/voltage level combinations so as to obtain the set of capacitance values and the corresponding set of frequency values for a set of voltage levels. This graph of Zuta shows the relationship of voltage to frequency for a particular capacitance which as noted above was obtained my measuring the frequency of the VCO for a plurality of capacitance value/voltage level combinations as indicated above.

Page 5

It is clear from Zuta that a capacitance value is selected via item 64 such that a corresponding frequency range covers a frequency band of interest. Thus the examiner does not see support for applicant's belief. Note that the control signal 64 causes a change in the capacitance value (See Figure 2 of Zuta.). This operation is clearly repeated otherwise one could not obtain the table for each band of interest as required in Zuta. Accordingly, the examiner respectfully disagrees with applicant.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael B. Shingleton whose telephone number is (571)272-1770. The examiner can normally be reached on Mon-Thurs from 8:30 to 4:30. The examiner can also be reached on alternate Fridays. The examiner normally has first Fridays of the bi-week off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal, can be reached on (571)272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/052,104 Page 6

Art Unit: 2817

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MBS Oct 27, 2003

May 12, 2004

LEMINABLE BERINGLETON

PROCESSION PROCESSION

PROCESSION PROCESSION

PROCESSION PROCESSION

PROCESSION PROCESS